

# Table of Contents

<b>BS2_GetCredentialKeyInfo</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[SDK API](#) > [BS2\\_GetCredentialKeyInfo](#)

## BS2\_GetCredentialKeyInfo

[+ V2.6.0] Gets the encryption key information for the device.

### Declaration

```
#include "BS_API.h"

int BS2_GetCredentialKeyInfo(void* context, uint32_t deviceId,
BS2CredentialKeyInfo* keyInfo);
```

[See BS2CredentialKeyInfo Structure](#)

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [Out] *keyInfo* : The address of structure that the encryption key information to be returned.

### Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.  
If there is an error, the corresponding error code will be returned.

### See Also

[BS2\\_SetCredentialKeyInfo](#)

[BS2\\_RemoveCredentialKeyInfo](#)

From:  
<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:  
[http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2\\_getcredentialkeyinfo&rev=1523865679](http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_getcredentialkeyinfo&rev=1523865679)

Last update: **2018/04/16 17:01**