

# Table of Contents

<b>BS2_GetIPV6ConfigViaUDPEx</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1

 **Fix Me!** This page is not fully translated, yet. Please help completing the translation.  
(remove this paragraph once the translation is finished)

[Configuration API](#) > [BS2\\_GetIPv6ConfigViaUDPEx](#)

## BS2\_GetIPv6ConfigViaUDPEx

[+ 2.6.3] Stores IPv6 configuration through UDP broadcast.  
It is useful on systems with multiple Ethernet cards installed.

### Declaration

```
#include "BS_API.h"

int BS2_GetIPv6ConfigViaUDPEx(void* context, uint32_t deviceId,
BS2IPv6Config* config, const char* hostipAddr);
```

[See BS2IPv6Config Structure](#)

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [Out] *config* : IPv6 configuration pointer
- [In] *hostipAddr* : Host IP address

### Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned.

From:  
<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:  
[https://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2\\_getipv6configviaudpex&rev=1560831970](https://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2_getipv6configviaudpex&rev=1560831970)

Last update: **2019/06/18 13:26**