

# Table of Contents

<b>BS2_ReleaseUsbContext</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[USB Exported Control API](#) > [BS2\\_ReleaseUsbContext](#)

---

## BS2\_ReleaseUsbContext

[+ 2.5.0] Releases context which is allocated from the API [BS2\\_AllocateUsbContext](#). It doesn't do anything if pointer value is NULL.

### Declaration

```
#include "BS_API.h"

void BS2_ReleaseUsbContext(void* context);
```

### Parameter

- [In] *context* : USB Context

### Return Value

Nothing

### See Also

[BS2\\_AllocateUsbContext](#)  
[BS2\\_GetUserDatabaseInfoFromDir](#)  
[BS2\\_GetUserListFromDir](#)  
[BS2\\_GetUserInfosFromDir](#)  
[BS2\\_GetUserDatasFromDir](#)  
[BS2\\_GetUserInfosExFromDir](#)  
[BS2\\_GetUserDatasExFromDir](#)  
[BS2\\_GetLogFromDir](#)  
[BS2\\_GetLogBlobFromDir](#)  
[BS2\\_GetFilteredLogFromDir](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2\\_releaseusbcontext&rev=1560325780](http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_releaseusbcontext&rev=1560325780)

Last update: **2019/06/12 16:49**