

BS2_ClearTimedAntiPassbackZoneStatus 1
..... 1
..... 1
..... 1
..... 1

[Zone Control API](#) > [BS2_ClearTimedAntiPassbackZoneStatus](#)

BS2_ClearTimedAntiPassbackZoneStatus

```
#include "BS_API.h"

int BS2_ClearTimedAntiPassbackZoneStatus(void* context, uint32_t deviceId,
uint32_t zoneID, char* uids, uint32_t uidCount);
```

- [In] *context* : Context
- [In] *deviceId* :
- [In] *zoneID* :
- [In] *uids* : user ID
- [In] *uidCount* : user ID

BS_SDK_SUCCESS , 가

[BS2_GetTimedAntiPassbackZone](#)
[BS2_GetAllTimedAntiPassbackZone](#)
[BS2_GetTimedAntiPassbackZoneStatus](#)
[BS2_GetAllTimedAntiPassbackZoneStatus](#)
[BS2_SetTimedAntiPassbackZone](#)
[BS2_SetTimedAntiPassbackZoneAlarm](#)
[BS2_RemoveTimedAntiPassbackZone](#)
[BS2_RemoveAllTimedAntiPassbackZone](#)
[BS2_ClearAllTimedAntiPassbackZoneStatus](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_cleartimedantipassbackzonestatus

Last update: **2016/02/02 14:31**