

BS2_DisableDeviceLicense 1

..... 1

..... 1

..... 1

(C++) 2

(C#) 2

BS2_DisableDeviceLicense

[+ 2.9.1]

가 outResultObj outNumOfResult


| | |
|------------|--------|
| | |
| XS2-Finger | V1.2.0 |
| XS2-Card | V1.2.0 |
| BS3 | V1.1.0 |

```
#include "BS_API.h"
```

```
int BS2_DisableDeviceLicense(void* context, uint32_t deviceId, const BS2LicenseBlob* licenseBlob, BS2LicenseResult** outResultObj, uint32_t* outNumOfResult);
```

BS2LicenseBlob
BS2LicenseResult

- [In] *context* : Context
- [In] *deviceId* :
- [In] *licenseBlob* :
- [Out] *outResultObj* :
- [Out] *outNumOfResult* :



BS_SDK_SUCCESS , 가

(C++)

[sample_setdebugfilelogex.cpp](#)

```
const char* CURRENT_DIR = ".";
const int MAX_SIZE_LOG_FILE = 100; // 100MB
int sdkResult = BS2_SetDebugFileLogEx(DEBUG_LOG_ALL, DEBUG_MODULE_ALL,
CURRENT_DIR, MAX_SIZE_LOG_FILE);
if (BS_SDK_SUCCESS != sdkResult)
{
    printf("BS2_SetDebugFileLogEx call failed: %d", sdkResult);
    return;
}
```

(C#)

[sample_setdebugfilelogex.cs](#)

```
const string CURRENT_DIR = ".";
const int MAX_SIZE_LOG_FILE = 100; // 100MB
IntPtr ptrDir = Marshal.StringToHGlobalAnsi(CURRENT_DIR);
result =
(BS2ErrorCode)API.BS2_SetDebugFileLogEx(Constants.DEBUG_LOG_OPERATION_A
LL, Constants.DEBUG_MODULE_ALL, ptrDir, MAX_SIZE_LOG_FILE);
Marshal.FreeHGlobal(ptrDir);
if (result != BS2ErrorCode.BS_SDK_SUCCESS)
{
    Console.WriteLine("Got error({0}).", result);
    return;
}
```

From:
<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:
http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_disabledevicelicense&rev=1676353718

Last update: **2023/02/14 14:48**