

BS2_GetUserInfosExFromDirWithKey 1
..... 1
..... 1
..... 1
..... 1

BS2_GetUserInfosExFromDirWithKey

[+2.8.2] USB Data 가 .

```
#include "BS_API.h"

int BS2_GetUserInfosExFromDirWithKey(void* context, const char* szDir, char*
uids, uint32_t uidCount, BS2UserBlobEx* userBlob, const BS2EncryptKey* key);
```

BS2UserBlobEx

- [In] *context* : Context
- [In] *szDir* : Data
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :
- [In] *key* : [BS2_SetDataEncryptKey](#) .

BS_SDK_SUCCESS , 가

- [BS2_GetUserDatabaseInfoFromDirWithKey](#)
- [BS2_GetUserListFromDirWithKey](#)
- [BS2_GetUserInfosFromDirWithKey](#)
- [BS2_GetUserDatasFromDirWithKey](#)
- [BS2_GetUserDatasExFromDirWithKey](#)
- [BS2_GetLogFromDirWithKey](#)
- [BS2_GetLogBlobFromDirWithKey](#)
- [BS2_GetFilteredLogFromDirWithKey](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getuserinfosexfromdirwithkey

Last update: **2022/04/12 15:27**