

BS2_GetUserList 1
..... 1
..... 1
..... 1
..... 1
..... 2

User Management API > BS2_GetUserList

BS2_GetUserList

가

BS2_USER_ID_SIZE

```
#include "BS_API.h"

int BS2_GetUserList(void* context, uint32_t deviceId, char** uidsObjs,
uint32_t* numUid, IsAcceptableUserID ptrIsAcceptableUserID);
```

- [In] *context* : Context
- [In] *deviceId* :
- [Out] *uidsObjs* :
- [Out] *numUid* :
- [In] *ptrIsAcceptableUserID* : TBD

uidsObjs BS2_ReleaseObject

BS_SDK_SUCCESS

가

C++

```
char* uidObj = NULL;
uint32_t numUID = ;
int sdkResult = BS2_GetUserList(context_, id, &uidObj, &numUID,
isAcceptableUID);
if (BS_SDK_SUCCESS != sdkResult)
{
    TRACE("BS2_GetUserList call failed: %d", sdkResult);
}
```

```
    return sdkResult;
}
// My Codes
//
// My Codes
BS2_ReleaseObject(uidObj);
```

C#

```
IntPtr outUidObjs = IntPtr.Zero;
UInt32 numUserIds = ;
API.IsAcceptableUserID cbIsAcceptableUserID = null; // we don't need to user
id filtering

IntPtr ptrDir = Marshal.StringToHGlobalAnsi(strDir);
BS2ErrorCode result = (BS2ErrorCode)API.BS2_GetUserList(sdkContext,
deviceID, out outUidObjs, out numUserIds, cbIsAcceptableUserID);
if (result != BS2ErrorCode.BS_SDK_SUCCESS)
{
    Console.WriteLine("Got error({0}).", result);
    return;
}
API.BS2_ReleaseObject(outUidObjs);
```

[BS2_GetUserList](#)
[BS2_RemoveUser](#)
[BS2_RemoveAllUser](#)
[BS2_GetUserInfos](#)
[BS2_GetUserInfosEx](#)
[BS2_EnrolUser](#)
[BS2_EnrolUserEx](#)
[BS2_GetUserDatas](#)
[BS2_GetUserDatasEx](#)

From:

<https://kb.supremainc.com/kbtest/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/kbtest/doku.php?id=ko:bs2_getuserlist

Last update: **2022/01/03 09:24**