

2.6.3 1
..... 1
..... 1
..... 3

2.6.3

2019-05-13

- XPass D2 Keypad
- IPv6
-
-
- `BS2_EnrollUser` `BS2_EnrollUserEx`
- `BS2UserBlob / BS2UserBlobEx`
`BS2UserSmallBlob / BS2UserSmallBlobEx` (User Photo)
- Admin User 1000

1. XPass D2 Keypad 가 .

2. IPv6 .
SDK가 IP V6 .

- [BS2IPV6Config](#) 가
- [BS2IPV6DeviceInfo](#) 가
- [BS2_SetDebugExCallback](#) 가
- [BS2_GetIPConfigViaUDPEx](#) 가
- [BS2_SetIPConfigViaUDPEx](#) 가
- [BS2_GetIPV6Config](#) 가
- [BS2_SetIPV6Config](#) 가
- [BS2_GetIPV6ConfigViaUDP](#) 가
- [BS2_SetIPV6ConfigViaUDP](#) 가
- [BS2_GetIPV6ConfigViaUDPEx](#) 가
- [BS2_SetIPV6ConfigViaUDPEx](#) 가
- [BS2_GetEnableIPV4:](#) 가
- [BS2_SetEnableIPV4:](#) 가
- [BS2_GetEnableIPV6:](#) 가
- [BS2_SetEnableIPV6:](#) 가
- [BS2_SetServerPortIPV6:](#) 가
- [BS2_GetServerPortIPV6:](#) 가
- [BS2_SetSSLServerPortIPV6:](#) 가
- [BS2_GetSSLServerPortIPV6:](#) 가
- [BS2_GetSpecifiedDeviceInfo:](#) 가
- [BS2_SearchDevicesCoreStationEx:](#) 가

3. 가 가 .

- [BS2_GetServerPort](#) 가
- [BS2_GetSSLServerPort](#) 가

4. 가 가 .

- [BS2_SetDefaultResponseTimeout](#) 가
- [BS2_GetDefaultResponseTimeout](#) 가

5. BS2_EnrollUser BS2_EnrollUserEx가 가 . BS2_EnrollUser, BS2_EnrollUserEx .

- [BS2_EnrollUser](#) 가
- [BS2_EnrollUserEx](#) 가

6. BS2UserBlob BS2UserBlobEx BS2UserPhoto

photo .

가 가 , 가 .

2.6.3 [BS2UserPhoto](#) ,

가 .

- [BS2UserSmallBlob](#) 가
- [BS2UserSmallBlobEx](#) 가
- [BS2_EnrollUserSmall](#) 가
- [BS2_EnrollUserSmallEx](#) 가
- [BS2_GetUserSmallInfos](#) 가
- [BS2_GetUserSmallDatass](#) 가
- [BS2_GetUserSmallInfosEx](#) 가
- [BS2_GetUserSmallDatassEx](#) 가
- [BS2_VerifyUserSmall](#) 가
- [BS2_IdentifyUserSmall](#) 가
- [BS2_VerifyUserSmallEx](#) 가
- [BS2_IdentifyUserSmallEx](#) 가
- [BS2_GetUserSmallInfosFromDir](#) 가
- [BS2_GetUserSmallDatassFromDir](#) 가
- [BS2_GetUserSmallInfosExFromDir](#) 가
- [BS2_GetUserSmallDatassExFromDir](#) 가

7. 1000 가 . [BS2AuthConfig](#) , 10 가

2.6.3 1000 가 .



- [BS2AuthOperatorLevel](#) 가
- [BS2_GetAuthOperatorLevelEx](#) 가
- [BS2_GetAllAuthOperatorLevelEx](#) 가
- [BS2_SetAuthOperatorLevelEx](#) 가
- [BS2_RemoveAuthOperatorLevelEx](#) 가
- [BS2_RemoveAllAuthOperatorLevelEx](#) 가

1. [BS2_UpgradeFirmware](#) firmware file , Code sign
 SDK
 firmware file

- [BS2_UpgradeFirmware](#)

2. ,

3. 가 SSL ,

4. crash

- [BS2_SearchDevicesEx](#)

5. SDK
 (hang)

- [BS2_ReleaseContext](#)
- [BS2_SetMaxThreadCount](#)

6. iClass SEOS card config (BS_SDK_ERROR_NOT_SUPPORTED)

- [BS2_GetCardConfigEx](#)

7. SSL SSL ,

8. Lift control floor level 가

- [BS2_GetFloorLevel](#)

9. template 384byte .

10. Slave 가 .

- [BS2_ScanFingerprint](#)
- [BS2_VerifyFingerprint](#)

11. 가 timeout ,

BS_SDK_ERROR_NOT_SUPPORTED .

- [BS2_GetConfig](#)

12. Access schedule ,

- [BS2_SetAccessSchedule](#)

13. 가 , .

14. SDK .

15. SSL SSL .

16. Socket .
(5ms . 10 100ms)

17. thread .

[BS2_SetMaxThreadCount](#) (2.6.3):
 thread .
 timer 2 , server matching 1 , notification 1 , TCP/UDP 1 6
 thread thread
 thread 8 .
 8 thread 6 thread 2

[BS2_SetMaxThreadCount](#) (2.6.3):
 thread 가 thread . 2 .

	()	()	()
BS2_SetMaxThreadCount	MAX(NumberOfCpuCores*5, 15)	8	MAX(NumberOfCpuCores*5, 15) 2
BS2_SetMaxConnectThreadCount	8	1	8 1

18. IP , IP port .

19. [C#] BS2Door alarmFlags unconditionalLock .
20. [C#] BS2SoundAction delay 가 가 .
21. [C#] LogControl BS2_GetLogBlob BS2EventMaskEnum.JOB_CODE가
BS2EventMaskEnum.ALL .
22. [C#] CardControl blacklist .
23. [C#] ConfigControl BS2_SetDstConfig startTime.weekDay
endTime.weekDay .
24. [C#] SlaveControl slave device 가 가 .

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk./doku.php?id=ko:release_note_263&rev=1557909116

Last update: **2019/05/15 17:31**