

Table of Contents

<i>BS2_GetUserDatasFromDir</i>	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

User Management API > BS2_GetUserDatasFromDir

BS2_GetUserDatasFromDir

Gets User ID corresponding UserMask from storage path in device.

Declaration

```
#include "BS_API.h"

int BS2_GetUserDatasFromDir(void* context, const char* szDir, char* uids,
                           uint32_t uidCount, BS2UserBlob* userBlob, BS2_USER_MASK userMask);
```

See BS2UserBlob Structure

Parameter

- [In] *context* : Context
- [In] *szDir* : Storage path in device
- [In] *uids* : User ID list trying to get
- [In] *uidCount* : Number of user ID
- [Out] *userBlob* : Pointer to store the user information
- [In] *userMask* : User Mask

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

See Also

[BS2.GetUserDatabaseInfoFromDir](#)
[BS2.GetUserListFromDir](#)
[BS2.GetUserInfosFromDir](#)
[BS2.GetUserInfosExFromDir](#)
[BS2.GetUserDatasExFromDir](#)

From:
<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:
http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_getuserdatasfromdir&rev=1506656866

Last update: **2017/09/29 12:47**