Table of Contents

BS2_GetUserInfosFromDirWithKey 1
API 1
Return value 1
Watch Together 1

BS2_GetUserInfosFromDirWithKey

[+2.8.2] Gets the user information corresponding to the user identifier from the data extracted by USB.

API

```
#include "BS_API.h"

int BS2_GetUserInfosFromDirWithKey(void* context, const char* szDir, char*
uids, uint32_t uidCount, BS2UserBlob* userBlob, const BS2EncryptKey* key);
```

View the structure of BS2UserBlob] </callout> ==== Parameters ==== * [In] ''//context//'' : Context * [In] ''//szDir//'' : Data storage path * [In] ''//uids//'' : List of user identifiers to be imported * [In] ''//uidCount//'' : Number of user identifiers * [Out] ''//userBlob//'' : Pointer to store user information * [In] ''//key//'' : Encryption key and the key value specified by [[BS2_SetDataEncryptKey

Return value

Returns BS_SDK_SUCCESS if performed successfully, or a corresponding error code if an error occurs.

Watch Together

BS2_GetUserDatabaseInfoFromDirWithKey
BS2_GetUserListFromDirWithKey
BS2_GetUserDatasFromDirWithKey
BS2_GetUserInfosExFromDirWithKey
BS2_GetUserDatasExFromDirWithKey
BS2_GetLogFromDirWithKey
BS2_GetLogBlobFromDirWithKey
BS2_GetFilteredLogFromDirWithKey

From:
https://kb.supremainc.com/bs2sdk./ - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2_getuserinfosfromdirwithkey&rev=1650243140

Last update: **2022/04/18 09:52**