

Table of Contents

BS2_GetUserSmallInfosExFromDirWithKey	1
Declaration	1
Parameters	1
Return value	1
Watch Together	1

[USB Exported Control API](#) > [BS2_GetUserSmallInfosExFromDirWithKey](#)

BS2_GetUserSmallInfosExFromDirWithKey

[+2.8.2] Gets the user information corresponding to the user identifier from the data extracted by USB.

The difference from [BS2_GetUserInfoExFromDirWithKey](#) that uses [BS2UserBlobEx](#) is

For memory efficiency, all are the same except that the fifth factor [BS2UserSmallBlobEx](#) member [BS2UserPhoto](#) is pointer-processed.

Declaration

```
#include "BS_API.h"

int BS2_GetUserSmallInfosExFromDirWithKey(void* context, const char* szDir,
char* uids, uint32_t uidCount, BS2UserSmallBlobEx* userBlob, const
BS2EncryptKey* key);
```

[View the structure of the BS2UserSmallBlobEx](#)

Parameters

- [In] *context* : Context
- [In] *szDir* : Data storage path
- [In] *uids* : List of user identifiers to be imported
- [In] *uidCount* : Number of user identifiers
- [Out] *userBlob* : Pointer to store user information
- [In] *key* : Encryption key and the key value specified by [BS2_SetDataEncryptKey](#).

Return value

Returns [BS_SDK_SUCCESS](#) if performed successfully, or a corresponding error code if an error occurs.

Watch Together

[BS2_GetUserSmallInfosFromDirWithKey](#)
[BS2_GetUserSmallDatasFromDirWithKey](#)
[BS2_GetUserSmallInfosExFromDirWithKey](#)

BS2_GetUserSmallDatasExFromDirWithKey

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_getusersmallinfosexfromdirwithkey&rev=1650332408

Last update: **2022/04/19 10:40**