

Table of Contents

BS2_RemoveAllScheduledLockUnlockZone	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[Zone Control API](#) > [BS2_RemoveAllScheduledLockUnlockZone](#)

BS2_RemoveAllScheduledLockUnlockZone

Removes all Scheduled Lock/Unlock zones.

Declaration

```
#include "BS_API.h"

int BS2_RemoveAllScheduledLockUnlockZone(void* context, uint32_t deviceId);
```

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetScheduledLockUnlockZone](#)
[BS2_GetAllScheduledLockUnlockZone](#)
[BS2_GetScheduledLockUnlockZoneStatus](#)
[BS2_GetAllScheduledLockUnlockZoneStatus](#)
[BS2_SetScheduledLockUnlockZone](#)
[BS2_SetScheduledLockUnlockZoneAlarm](#)
[BS2_RemoveScheduledLockUnlockZone](#)

From:
<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_removeallscheduledlockunlockzone

Last update: **2016/02/17 14:54**