

**BS2\_GetAllDoor** ..... 1  
..... 1  
..... 1  
..... 1  
..... 1

# BS2\_GetAllDoor

가 .

```
#include "BS_API.h"

int BS2_GetAllDoor(void* context, uint32_t deviceId, BS2Door** doorObj,
uint32_t* numDoor);
```

BS2Door

- [In] *context* : Context
- [In] *deviceId* :
- [Out] *doorObj* : door
- [Out] *numDoor* : door



BS\_SDK\_SUCCESS , 가

- [BS2\\_GetDoor](#)
- [BS2\\_GetDoorStatus](#)
- [BS2\\_GetAllDoorStatus](#)
- [BS2\\_SetDoor](#)
- [BS2\\_SetDoor](#)

[BS2\\_SetDoorAlarm](#)  
[BS2\\_RemoveDoor](#)  
[BS2\\_RemoveAllDoor](#)  
[BS2\\_ReleaseDoor](#)  
[BS2\\_LockDoor](#)  
[BS2\\_UnlockDoor](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2\\_getalldoor](http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getalldoor)

Last update: **2016/07/12 09:32**