

BS2_GetUserDatabaseInfoFromDirWithKey 1

..... 1

..... 1

..... 1

..... 1

BS2_GetUserDatabaseInfoFromDirWithKey

[+2.8.2] USB Data (, , ,) 가

```
#include "BS_API.h"

int BS2_GetUserDatabaseInfoFromDirWithKey(void* context, const char* szDir,
uint32_t* numUsers, uint32_t* numCards, uint32_t* numFingers, uint32_t*
numFaces, IsAcceptableUserID ptrIsAcceptableUserID, const BS2EncryptKey*
key);
```

- [In] *context* : Context
- [Out] *szDir* : Data
- [Out] *numUsers* :
- [Out] *numCards* :
- [Out] *numFingers* :
- [Out] *numFaces* :
- [In] *ptrIsAcceptableUserID* : user ID callback
- [In] *key* : BS2_SetDataEncryptKey



BS_SDK_SUCCESS , 가

- [BS2_GetUserListFromDirWithKey](#)
- [BS2_GetUserInfosFromDirWithKey](#)
- [BS2_GetUserDatasFromDirWithKey](#)

[BS2_GetUserInfosExFromDirWithKey](#)
[BS2_GetUserDatasExFromDirWithKey](#)
[BS2_GetLogFromDirWithKey](#)
[BS2_GetLogBlobFromDirWithKey](#)
[BS2_GetFilteredLogFromDirWithKey](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getuserdatabaseinfofromdirwithkey

Last update: **2022/04/12 15:24**