

**BS2\_GetUserInfo**

.....

.....

.....

.....

.....

.....

1

1

1

1

1

[User Management API](#) > [BS2\\_GetUserInfos](#)

## BS2\_GetUserInfos

가 .

```
#include "BS_API.h"
```

```
int BS2_GetUserInfos(void* context, uint32_t deviceId, char* uids, uint32_t uidCount, BS2UserBlob* userBlob);
```

BS2UserBlob

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :

BS\_SDK\_SUCCESS , 가

[BS2\\_GetUserList](#)  
[BS2\\_RemoveUser](#)  
[BS2\\_RemoveAllUser](#)  
[BS2\\_GetUserInfos](#)  
[BS2\\_GetUserInfosEx](#)  
[BS2\\_EnrolUser](#)  
[BS2\\_EnrolUserEx](#)  
[BS2\\_GetUserDatas](#)  
[BS2\\_GetUserDatasEx](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2\\_getuserinfo](http://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2_getuserinfo)

Last update: **2021/12/30 10:43**