

BS2_GetUserSmallInfos 1
..... 1
..... 1
..... 1
..... 1

BS2_GetUserSmallInfos

[+ 2.6.3] [BS2_GetUserInfos](#) 가 .
 BS2UserBlob 3 BS2UserSmallBlob BS2UserPhoto가

```
#include "BS_API.h"

int BS2_GetUserSmallInfos(void* context, uint32_t deviceId, char* uids,
uint32_t uidCount, BS2UserSmallBlob* userBlob);
```

[BS2UserSmallBlob](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *uids* : 가
- [In] *uidCount* :
- [Out] *userBlob* :

BS_SDK_SUCCESS , 가

- [BS2_EnrollUserSmall](#)
- [BS2_EnrollUserSmallEx](#)
- [BS2_GetUserSmallInfos](#)
- [BS2_GetUserSmallInfosEx](#)
- [BS2_GetUserSmallDatas](#)
- [BS2_GetUserSmallDatasEx](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getusersmallinfos&rev=1557812063

Last update: **2019/05/14 14:34**