

BS2_RemoveAllAntiPassbackZone 1
..... 1
..... 1
..... 1
..... 1

[Zone Control API](#) > [BS2_RemoveAllAntiPassbackZone](#)

BS2_RemoveAllAntiPassbackZone

```
#include "BS_API.h"

int BS2_RemoveAllAntiPassbackZone(void* context, uint32_t deviceId);
```

- [In] *context* : Context
- [In] *deviceId* :

BS_SDK_SUCCESS , 가

[BS2_GetAntiPassbackZone](#)
[BS2_GetAllAntiPassbackZone](#)
[BS2_GetAntiPassbackZoneStatus](#)
[BS2_GetAllAntiPassbackZoneStatus](#)
[BS2_SetAntiPassbackZone](#)
[BS2_SetAntiPassbackZoneAlarm](#)
[BS2_RemoveAntiPassbackZone](#)
[BS2_ClearAntiPassbackZoneStatus](#)
[BS2_ClearAllAntiPassbackZoneStatus](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_removeallantipassbackzone

Last update: **2016/02/02 14:30**