

**BS2\_RemoveDoor** ..... 1  
..... 1  
..... 1  
..... 1  
..... 1

## BS2\_RemoveDoor

```
#include "BS_API.h"

int BS2_RemoveDoor(void* context, uint32_t deviceId, uint32_t* doorIds,
uint32_t doorIdCount);
```

- [In] *context* : Context
- [In] *deviceId* :
- [In] *doorIds* : door id
- [In] *doorIdCount* : door id

BS\_SDK\_SUCCESS , 가

[BS2\\_GetDoor](#)  
[BS2\\_GetAllDoor](#)  
[BS2\\_GetDoorStatus](#)  
[BS2\\_GetAllDoorStatus](#)  
[BS2\\_SetDoor](#)  
[BS2\\_GetAllDoorStatus](#)  
[BS2\\_SetDoorAlarm](#)  
[BS2\\_RemoveAllDoor](#)  
[BS2\\_ReleaseDoor](#)  
[BS2\\_LockDoor](#)  
[BS2\\_UnlockDoor](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2\\_removedoor](https://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_removedoor)

Last update: **2016/02/02 14:28**