

2.9.7 (V2.9.7.41) 1
 1
 2
 3

3. Keyboard focusable scrollers

Disabled

4. (Chrome)

Enables keyboard focusable scrollers

Scrollers are click-focusable and programmatically-focusable by default. Scrollers without focusable children are keyboard-focusable by default. – Mac, Windows, Linux, ChromeOS, Android, Lacros

[#keyboard-focusable-scrollers](#)

변경사항은 다음에 Chrome을 다시 시작할 때 적용됩니다.

다시 시작

1.

- BioEntry W3

2. ID + 가 가

- - BioMini
 - BioMini Plus 2

3.

4. 가 가

- 가
-

5. cipher suite

6. XSS

7. 가

8.

- , , ,

- 1. 가 (: v2.5.0)
- 2. (: v2.8.15)
- 3. global check violation invalid packet (: v2.8.11)
- 4. **LFD** **LFD** UI가 (: v2.9.0)
- 5. FaceStation F2 FaceStation 2 - (: v2.8.6)
 F2 가 BioStar 2 가 가 FaceStation
 BioStar 2 가 가
- 6. 가 (: v2.9.6)
- 7. 가 (: v2.0.0)
- 8. GPU (: v2.9.5)
- 9. 가 (: v2.9.5)
- 10. 가 가 (: v2.9.3)
- 11. MS SQL Server (: v2.9.3)
- 12. (Chrome) **Keyboard focusable scrollers** , (: v2.0.0)
- 13. MS SQL Windows BioStar 2 **BioStar 2 Restore** (: v2.9.3)

From:
<https://kb.supremainc.com/knowledge/> -

Permanent link:
https://kb.supremainc.com/knowledge/doku.php?id=ko:release_note_297

Last update: **2024/09/02 17:36**