

---

.....	1
.....	1
.....	1
.....	1
.....	2
.....	2
.....	2
.....	3
.....	3
.....	3
.....	3
.....	3
.....	3
.....	3
.....	4

# System Configuration



BioStar 2

BioStar 2

- 
- 
- 

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

- [BioStar 2](#)
- 
- [HTTP HTTPS](#)
- [BioStar 2](#)
- [16](#)
-

- BioStar 2
- (Daylight Saving Time)
- ID, ID,
- USB BioStar 2

- CSN Wiegand
- Wiegand
- ID
- /
- BioStar 2

- 가
- CoreStation Wiegand CoreStation
- DM-20 LED
- Wiegand
- (TLS/SSL)
- SIP ID
- XPass D2
- One Device(Legacy) Mode
- Wiegand
- XPass D2 (XPD2-GKDB)

- 
- 가

- (APB)
- 
- /
- 
- 
- 

- BioStar 2

- 
- 
- 
- 
- 
- 
- 
- 

- [ 가 ] /
- 가 /
- BioStar 2
- 
- 
- 24

- 
- 가
- 
- 
- 

- 
- 

- BioStar 2 Mobile
- BioStar 2 Mobile
- BioMini

- [How to issue and use mobile smart cards](#)
- [BioStar 2 Mobile](#)
- [BioStar 2 Mobile](#)

- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 
- 

(AoC)

- [DESFire EV1](#)

From:

[http://kb.supremainc.com/knowledge./](http://kb.supremainc.com/knowledge/) -

Permanent link:

[http://kb.supremainc.com/knowledge./doku.php?id=ko:trn\\_config\\_main&rev=1566950386](http://kb.supremainc.com/knowledge./doku.php?id=ko:trn_config_main&rev=1566950386)

Last update: **2019/08/28 08:59**