

Table of Contents


How to assign different administrative privileges to users	1
--	---

BioStar 1, Privilege


How to assign different administrative privileges to users

You can create custom administrators with different administrative privileges. There are seven different menus with three different access permissions.


1. Go to **Administrator > Admin Account**. This brings up the **Admin Account List** dialog.



2. Click **Custom Level Setting**. This brings up the **Custom Level List** dialog.



3. Click **Add Custom Level**. This brings up the **Add/Modify Custom Level** dialog.



4. Type in a name for the **Name** field.
 5. You can optionally enter the description as well.
 6. Select a menu from the **Select Menu for Custom Level** drop-down list and assign one of the three permissions for the menu. Then, click **Add**.
 7. Repeat step no. 6 until you have completed the permission assignment for all the menus.
- **All Rights:** The account will be granted all privileges
 - **Modify:** The account will be granted all privileges except the privileges to create or delete administrator and operator accounts.
 - **Read:** The account will only be allowed to read information.

Add/Modify Custom Level

Name:

Description:

Save Cancel

Menu	Item	Permission
------	------	------------

Delete Delete All

Select Menu for Custom Level

User Menu

Permission

Select authorization to access the selected Menu

☐ All Rights

☐ Modify

☐ Read

Add

8. Click **Save** to finish the process.

From:
<http://kb.supremainc.com/knowledge/> -

Permanent link:
http://kb.supremainc.com/knowledge/doku.php?id=en:1xfaq_how_to_assign_different_administrative_privileges_to_users

Last update: **2015/10/12 15:44**