

Table of Contents

BioStar 2 user ID can be mapped to several fields in Active Directory 1

BioStar 2 user ID can be mapped to several fields in Active Directory

If the user name of AD is fixedly mapped to the User ID, it may be difficult to integrate with the customer's third-party system. Up to BioStar 2.7.8, the User ID could not be changed to another field.

From BioStar 2.7.10, this User ID field has been changed to map to other values.

The screenshot displays the 'Field Configuration' window. On the left, under 'User Field Mapping', there are two dropdown menus: 'User ID' and 'User Name'. The 'User ID' dropdown is currently open, showing a list of AD Server Fields. A red rectangle highlights the 'sAMAccountName' field in this list. The 'AD Server Field' column on the right is empty. At the bottom left, there is a 'Synchronize' section with a 'Status' indicator showing 'Not yet executed' and a 'Sync Now' button. At the bottom right, there is a 'Cancel' button.

BioStar2 User Field	AD Server Field
User ID	sAMAccountName
User Name	

AD Server Fields list (highlighted):

- sAMAccountName
- accountExpires
- accountNameHistory
- aCSPolicyName
- adminCount
- adminDescription
- adminDisplayName
- allowedAttributes
- allowedAttributesEffective

From:

<https://kb.supremainc.com/knowledge/> -

Permanent link:

https://kb.supremainc.com/knowledge/doku.php?id=en:biostar_2_user_id_can_be_mapped_to_several_fields_in_active_directory&rev=1570767494

Last update: 2019/10/11 13:18