## **Table of Contents**

How to issue CSN and Wiegand cards	1
Issuing a CSN Card	1
Issuing a Wiegand Card	2

System Configuration, BioStar 2, card, "CSN", "Wiegand"

# How to issue CSN and Wiegand cards

You can easily issue cards to users in BioStar 2 with a Suprema device or a USB reader (DE-620). Your device may support Wiegand or CSN cards based on its model type. Refer to the link to learn about card type support based on device model: Device Card Read Specification

DE-620 is supported by BioStar 2 v2.4.0 and above.

#### **Issuing a CSN Card**

- 1. Click on the **DEVICE** menu of your BioStar 2.
- 2. Select a device.
- 3. On the Authentication tab's CSN Card Format set the Format Type as Normal.
  - CSN Card Format



- 4. Click Apply.
- 5. Click on the **USER** menu of your BioStar 2.
- 6. Click ADD USER.
- 7. Enter basic user information. (e.g. Name, ID and etc.)
- 8. Click + Card.
- 9. Set Cart Type as CSN.

Enroll Card		×
Card Type	CSN	Ŧ
<ul> <li>Registration Option</li> <li>Device</li> </ul>	Register by Card Reader Register by Card Reader Assign Card	*
Information     Card ID	Enter Manually Read Card	

10. For Registration Option choose Register by Card Reader.

Other Registration Options:

**Assign Card**: You will be able to reuse a card that has been enrolled before but was deleted from a user.

The list of cards that are unassigned can be seen in the **Settings** > **Card** > **Unassigned Card** list.

Enter Manually: Allows you to type in the card ID manually.

#### 11. Click Read Card.

- 12. Scan the card on the device of your choice.
- 13. When the card is read successfully, click **Enroll**.

If you have already enrolled the card previously to another user and deleted the card, an error message will pop up.

Error		×
$\otimes$	Card ID already exists. ( 65651 )	
	Ok	

In this case you would have to use the **Assign Card Registration Option** to search for the CSN card and enroll.

14. Click **Apply**.

### **Issuing a Wiegand Card**

- 1. Click on the **DEVICE** menu.
- 2. Select your device.

with a set of the set of the set

3. On the Authentication tab's Wiegand Card Format set your desired Wiegand Card Format.

<ul> <li>Wiegand Format</li> </ul>	ID#1 26 bit SIA Standard-H10301	
	Default	
Smart Card Layout	ID#1-26 bit SIA Standard-H10301	
- Layout	D#2-HID 37 bit-H10302	
	D#3-HID 37 bit-H10304	
	ID#4-HID Corporate 1000	

You can select multiple Wiegand formats to be read by selecting multiple formats.

If you are using a custom Wiegand format that is not listed in the default formats, you can configure your format in **Settings** > **Card Format** > **Wiegand** 

- 4. Click **Apply**.
- 5. Click on the **USER** menu of your BioStar 2.
- 6. Click **ADD USER**.
- 7. Enter basic user information such as Name, ID and etc.
- 8. Click + Card.
- 9. Set Cart Type as Wiegand.

Card Type	Wiegand 26 bit SIA Standard-H10301					
Card Data     Format						
Registration Option	Register by Card Reader					Ŧ
Device	BioStation A2 541531003 (192.168.14.207)					
Information						
Facility Code					Read Card	
Card ID 1					]	

- 11. Select your Card Data Format.
- 12. Select Registration Option as Register by Card Reader.
- 13. Select your **Device**.
- 14. Click Read Card.
- 15. Scan your card on the device.
- 16. Click Enroll.
- 17. Click Apply.

From: http://kb.supremainc.com/knowledge/ -

Permanent link:

 $http://kb.supremainc.com/knowledge/doku.php?id=en:how_to_issue_csn_and_wiegand_cards&rev=1637110029$ 

Last update: 2021/11/17 09:47