

# Table of Contents

Version 2.8.13 (V2.8.13.22) ..... 1

Release ..... 1

New Features and Improvements ..... 1

Bug fixes ..... 1

## Version 2.8.13 (V2.8.13.22)

### Release

2021-10-28

### New Features and Improvements

1. Created the T&A report inquiry API.
  2. Supports private SSL certificates with a specific passphrase on the T&A server.
  3. Changed the TLS default version of the T&A server to 1.2.
  4. Updated T&A APIs in Swagger.
  5. Improved T&A report inquiry performance.
- Improved T&A report management structure: Improved to archive the punch log table data by month to prevent the system from slowing down caused by accumulated logs.

### Bug fixes

1. When returning to the individual summary report and edit history report list after checking details of a selected report, the item selection did not work properly in the list. (Affects version: v2.7.10)
2. Punch out rounding setting was not applied to the individual summary report. (Affects version: v2.8.5)
3. T&A synchronization was abnormally interrupted when BioStar 2 was upgraded to v2.8.9 or later under the following conditions. (Affects version: v2.8.9)
  - BioStar 2 v2.8.5 or later
  - Use MS SQL Server database
  - Connect the Wiegand Reader 1 to DM-20
4. When using MS SQL Server database, T&A synchronization was abnormally interrupted if a large number of user data was deleted. (Affects version: v2.8.9)
5. When deleting a user or user group, T&A synchronization was abnormally interrupted because the related data was not completely deleted. (Affects version: v2.8.9)

6. Wiegand devices connected to the DM-20 were not displayed on the Time & Attendance device list.  
(Affects version: v2.8.9)

From:

<https://kb.supremainc.com/knowledge/> -

Permanent link:

[https://kb.supremainc.com/knowledge/doku.php?id=en:release\\_note\\_2813](https://kb.supremainc.com/knowledge/doku.php?id=en:release_note_2813)

Last update: **2021/11/23 09:14**