

# Table of Contents

User ID sorting depending on the user ID type setting in the server ..... 1

[Alphanumeric](#), [BioStar 2](#), [sorting](#), [user ID](#)

# User ID sorting depending on the user ID type setting in the server

Until BioStar 2.7.10, user ID sorting did not work properly depending on the user ID setting. In particular, this issue has been seen in Muster zones and Access groups.

Starting from BioStar 2.7.11, user ID can be sorted correctly according to server user ID setting, both in Muster zone and Access group menu.

## Muster Zone

Muster

1 / 1

50 rows

Go

...

	Name	Entry Devices	Exit Devices	Access Group	Active/I...	Status
<input type="checkbox"/>	5	BioEntry W2 54410...	Xpass 544356262 (...	fu,...	Active	Normal
<input type="checkbox"/>	7	Xpass 544356262 (...	BioEntry W2 54410...	fu,...	Active	Normal
<input type="checkbox"/>	e-365	Xpass 544356262 (...	BioStation 2 54723...	fu,...	Active	Normal
<input type="checkbox"/>	KoR	BioEntry W2 54410...	BioStation 2 54723...	fu,...	Active	Unknown
<input type="checkbox"/>	muster_test	BioEntry W2 54410...	BioStation 2 54723...	fu,...	Active	Unknown

## Access Group

Access Group

1 / 1

50 rows

Go

...

	Name	Description	Access Level	Floor Level	User Group	User
<input type="checkbox"/>	555		all	-	All Users	-
<input type="checkbox"/>	ete		all	-	All Users	-
<input type="checkbox"/>	fu,...		all	-	All Users	-

From:

<http://kb.supremainc.com/knowledge/> -

Permanent link:

[http://kb.supremainc.com/knowledge/doku.php?id=en:user\\_id\\_sortingDependingOnTheUserIDTypeSettingInTheServer&rev=1575965378](http://kb.supremainc.com/knowledge/doku.php?id=en:user_id_sortingDependingOnTheUserIDTypeSettingInTheServer&rev=1575965378)

Last update: **2019/12/10 17:09**