1	SQL Server	ID

SQL Server	ID		
BioStar 1, MSSQL, SSPI			
2021/02/28 16:58	1/11	SQL Server	ID

SQL Server MS SQL MS SQL Server SQL Server SQL Server ID . SQL Server ID .

, SQL Server .

1. Microsoft SQL Server Management Studio

2.





2/11

SQL Server

ID

Select a page	🖾 Script 👻 🚺 Help		
Toeneral Server Roles Les Mapping Securables Totus	Login name: Windows authentication @ 20L Server authentication Password: Confirm password: Specify old password Old password: Enforce password policy Enforce password expira User must change password Mapped to certificate Mapped to asymmetric key Mapped to asymmetric key Mapped Credential	test	* * *
Connection		Credential	
Server: MHKIM2-PCWSQLEXPRESS Connection: bsadmin <u>Wew connection properties</u>			
Progress			
C Ready	Default <u>d</u> atabase: Default language:	BioStar (default>	Nemo⊻e

6.

sysadmin

.

3/11

•

ID

Select a page	🖾 Script 👻 🌇 Help	
general ge	Server role is used to grant server-wide security privileges to a user.	
- Status	Server roles:	
	bulkadmin dbcreator diskadmin processadmin public securityadmin setupadmin v sysadmin v sysadmin	
Connection		
Server: MHKIM2-PC#SQLEXPRESS		
Connection: bsadmin		
Mew connection properties		
Progress		
O Ready		
	OK	Cancel

7.

BioStar db_owner

4/11

,

ID

Select a page	CP Codet	- D Hele			
🕈 General	2) Script	🕈 🚺 Heip			
T Server Roles User Mapping	Users mapped to this login:				
Securables	Мар	Database	User	Default Schema	
T Status		BioStar	test		
		master			
		model			
		msdb			
		ReportServer\$SQLEXPRESS			
		ReportServer\$SQLEXPRESS			
		tempdb			
	Gues	1 account enabled for: BioStar			
Connection	Databas	t account enabled for: BioStar e <u>r</u> ole membership for: BioStar			
Connection Server: MHKIM2-PC W SQLEXPRESS	Databas	t account enabled for: BioStar e role membership for: BioStar ccessadmin ackupoperator			
Connection Server: MHKIM2-PC#SQLEXPRESS	Gues Databas db_b db_d db_d	t account enabled for: BioStar e role membership for: BioStar ccessadmin ackupoperator atareader atareter atawriter			
Connection Server: MHKJM2-PCWSQLEXPRESS Connection: bsadmin	Gues Databas db_a db_d db_d db_d	t account enabled for: BioStar e role membership for: BioStar ccessadmin ackupoperator atareader atarenter diadmin			
Connection Server: MHKJM2-PC#SOLEXPRESS Connection: bsadmin	Gues Databas db.a db.d db.d db.d	t account enabled for: BioStar e role membership for: BioStar ccessadmin ackupoperator atareader atawriter diadmin enydatareader enydatareader enydatareader			
Connection Server: MHKIM2-PC#SOLEXPRESS Connection: bsadmin Mew connection properties	Gues Databas db.a db.d db.d db.d db.d	t account enabled for: BioStar e role membership for: BioStar ccessadmin ackupoperator atareader atawriter dladmin enydatareader enydatawriter wner			
Connection Server: MHKIM2-PC W SQLEXPRESS Connection: bsadmin Mew connection properties	Gues Databas db_d db_d db_d db_d db_d db_d db_d db_	It account enabled for: BioStar e role membership for: BioStar ccessadmin ackupoperator atareader atawriter dladmin enydatareader enydatawriter wner ecurityadmin			
Connection Server: MHKIM2-PC#SQLEXPRESS Connection: bsadmin Mew connection properties Progress	Gues Databas db_d db_d db_d db_d db_d db_d db_d db_	It account enabled for: BioStar e role membership for: BioStar ccessadmin ackupoperator atareader atawriter dladmin enydatareader enydatareader enydatawriter winer ecurityadmin c			
Connection Server: MHKIM2-PC#SOLEXPRESS Connection: bsadmin Mew connection properties Progress Ready Ready	Gues Databas db_d db_d db_d db_d db_d db_d db_d db_	It account enabled for: BioStar e role membership for: BioStar ccessadmin ackupoperator atareader atawriter diadmin enydatareader enydatawriter wner ecurityadmin c			

8.

•

5/11

ID

Login Properties - test	
Select a page	🕵 Script 👻 🖪 Help
I General Server Roles I User Mapping I Securables I Status	Settings Permission to connect to database engine:
Connection	
Server: MHKJM2-PC#SQLEXPRESS Connection:	
bsadmin	
Mew connection properties	
Progress	
O Ready	
	OK Cancel

9. Right-click the database server in



10.

SQL Server Windows

6/11

.

.

Server Properties - MHKIM2-PC\SQLE	XPRESS	
Select a page	🖾 Script 👻 🚺 Help	
Memory Processors Connections Database Settings Advanced Permissions	Server authentication Windows Authentication mode SQL Server and Windows Authentication mode Login auditing None Failed logins only Successful logins only Both failed and successful logins Server proxy account Enable server proxy account Proxy account:	
Connection	Password:	
Server: MHKIM2-PC#SQLEXPRESS	Options	
Connection: bsadmin	Enable C2 audit tracing Cross database ownership chaining	
Progress Beadu		
C neaty		
		OK Cancel

11.

Microsoft SQL Server Manage	ment Studio				
File Edit View Debug Tools Window Community Help					
🗄 🔔 New Query 📄 📑 💕	u di 🕰 🔒				
Object Explorer	• ∓ ×				
Connect • 📑 📑 🛒 🖉	<u>s</u>				
B MHKIM2-PC\SQLEXPRES	5 (SOL Server 10.1				
🕀 🦢 Databases	Connect				
🖃 🚞 Security	Disconnect				
Logins A ##MS_Pol	Register				
A ##MS_Pol	New Query				
💩 bsadmin 👧 BUILTIN\L	Activity Monitor				
👌 NT AUTH	Start				
A NT AUTH	Stop				
MT SERVIC	Pause				
A SUPREMA	Resume				
👌 test	Restart				
Server Roles Credentials	Policies +				
Canuar Ohiasta	Facets				
Ready	Start PowerShell				
	Reports +				
	Refresh				
	Properties				

7/11

SQL Server

.

,

ID

Microsoft SQL Server Management Studio				
?	Are you sure you want to restart the MSSQL\$SQLEXPRESS service on MHKIM2-PC?			
B	Yes No			

12.



13. SQL Server

ID

Connect to Server	×
Microsoft*	Server "2008 R2
Server <u>t</u> ype:	Database Engine 🔹
<u>S</u> erver name:	MHKIM2-PC\SQLEXPRESS
<u>A</u> uthentication:	SQL Server Authentication
Login:	test 🗸
<u>P</u> assword:	****
	Re <u>m</u> ember password
Connect	Cancel Help <u>O</u> ptions >>

2021/02/28 16:58			8/11		SQL Server ID
14. Config					. BioStar Server
15.	가	ID		·	MS SQL
BioStar Serve	er Config				×

BioStar Server Config								
Status —			Stopped	Start				
Connection								
10	TCP Port	1480	Thread Count 32	Client List				
Database								
	Database Type	SQL Server	•					
SQL	Database Name	BioStar		Set Name				
	 Server Authentica 	tion	O Windows Authenticatio	Windows Authentication				
	Database Server	localhost\SQLEXPRE	Port 2211					
	ID	test	Password ****					
	Max Connection	1	,					
SSL-								
	OpenSSL Path	C:\OpenSSL\bin\opens	sl.exe	Browse				
	Pass Phrase	*****		Change				
		Refresh	Apply OK	Cancel				

16. SQL Server

ID



17. SQL Server TCP/IP TCP SQLEXPRESS

, BioStar Server Config

21/02/28 16:58	10/1	.1		SQL	Server
Sql Server Configuration Manager		_	-		
le Action View Help					
🔿 📶 🖫 🔒 🖬					
SQL Server Configuration Manager (Local)	Protocol Name	Status			
SQL Server Services SQL Server Network Configuration (32bit)	Shared Memory Named Pipes	Enabled Disabled			
Protocols for SQLEAPRESS	TCP/IP	Enabled	TCP/IP Properties		2 X
SQL Native Client 10.0 Configuration (32)	") ^{III} VIA	Disabled	Protocol IP Addresses		
			E IP8		*
			Active	Yes	
			Enabled	No	
			IP Address	127.0.0.1	
			TCP Dynamic Ports	0	
			TCP Port		
			E 1P9		
			Active	Yes	
			Enabled	No	
			IP Address	fe80::e0:0:0:0%12	
			TCP Dynamic Ports TCP Port	0	
			E IPAII		-
			TCP Dynamic Ports TCP Port	2211	
			Active Indicates whether the select	ted IP Address is active.	+ Help

18. BioStar Server Config . Windows

.



ID _____

11/11

SQL Server

ID

🖗 BioStar Se	erver Config			×				
Status								
			Stopped	Start				
	TCP Port	1480	Thread Count 32	Client List				
Database								
	Database Type	SQL Server]					
SQL	Database Name	BioStar		Set Name				
	Server Authentica	tion	C Windows Authentication					
	Database Server	localhost\SQLEXPRE	Port 22	11				
	ID	test	Password ***	*				
	Max Connection	1						
SSL								
	OpenSSL Path	C:\OpenSSL\bin\open	Browse					
	Pass Phrase	*****	Change					
		1						
		Refresh	Apply OK	Cancel				

From:

http://kb.supremainc.com/knowledge/ -

Permanent link: http://kb.supremainc.com/knowledge/doku.php?id=ko:1xfaq_how_to_create_a_sql_server_authentication_login_id

Last update: 2016/11/14 10:01