

Table of Contents

- Option API** 1
- setFingerprintOption*** 1
 - Parameters 1
 - Return Code 1
- getFingerprintOption*** 1
 - Parameters 1
 - Return Code 1
- setCardOption*** 2
 - Parameters 2
 - Return Code 2
- getCardOption*** 2
 - Parameters 2
 - Return Code 2
- setWiegandOption*** 3
 - Parameters 3
 - Return Code 3
- getWiegandOption*** 3
 - Parameters 3
 - Return Code 3

Option API

setFingerprintOption

Save the fingerprint option information for the device.

```
int setFingerprintOption(FingerprintOption option)
```

Parameters

- option: fingerprint option information

[Refer to FingerprintOption Class](#)

Return Code

Returns "SUCCESS" if successfully launched; returns the corresponding error code if an error occurs.

getFingerprintOption

Get the fingerprint option information for the device.

```
int getFingerprintOption(FingerprintOption option)
```

Parameters

- option: fingerprint option information

[Refer to FingerprintOption Class](#)

Return Code

Returns "SUCCESS" if successfully launched; returns the corresponding error code if an error occurs.

setCardOption

Save the card option information for the device.

```
int setCardOption(FingerprintOption option)
```

Parameters

- option: card option information

[Refer to CardOption Class](#)

Return Code

Returns "SUCCESS" if successfully launched; returns the corresponding error code if an error occurs.

getCardOption

Get the card option information for the device.

```
int getCardOption(CardOption option)
```

Parameters

- option : card option information

[Refer to CardOption Class](#)

Return Code

Returns "SUCCESS" if successfully launched; returns the corresponding error code if an error occurs.

setWiegandOption

Save the Wiegand option information for the device.

```
int setWiegandOption(WiegandOption option)
```

Parameters

- option: Wiegand option information

[Refer to WiegandOption Class](#)

Return Code

Returns "SUCCESS" if successfully launched; returns the corresponding error code if an error occurs.

getWiegandOption

Get the Wiegand option information for the device.

```
int getWiegandOption(WiegandOption option)
```

Parameters

- option: Wiegand option information (WiegandOption)

[Refer to WiegandOption Class](#)

Return Code

Returns "SUCCESS" if successfully launched; returns the corresponding error code if an error occurs.

From:

<http://kb.supremainc.com/svpsdk/> - **SVP Android SDK**

Permanent link:

http://kb.supremainc.com/svpsdk/doku.php?id=en:option_api

Last update: **2019/06/12 08:22**