

Table of Contents

BS2_EnrollUserEx	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[User Management API](#) > [BS2_EnrollUserEx](#)

BS2_EnrollUserEx

[+ 2.6.3] Enrolls new user

It has the same functionality as [BS2_EnrollUserEx](#). (Only spelling is changed)

Declaration

```
#include "BS_API.h"

int BS2_EnrollUserEx(void* context, uint32_t deviceId, BS2UserBlobEx*
userBlob, uint32_t userCount, uint8_t overwrite);
```

[See BS2UserBlobEx structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *userBlob* : User information trying to enroll
- [In] *userCount* : Number of users
- [In] *overwrite* : Whether to overwrite duplicated user

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetUserList](#)
[BS2_RemoveUser](#)
[BS2_RemoveAllUser](#)
[BS2_GetUserInfos](#)
[BS2_GetUserInfosEx](#)
[BS2_EnrollUser](#)
[BS2_EnrollUserEx](#)
[BS2_GetUserDatass](#)

[BS2_GetUserDatasEx](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2_enrolluserex&rev=1558060505

Last update: **2019/05/17 11:35**