

Table of Contents

BS2_EnrolUser

Declaration

Parameter

Return Value

See Also

.....

.....

.....

.....

.....

1

1

1

1

1

BS2_EnrolUser

Enrolls new user.

참고

Please use [BS2_EnrollUserFaceEx](#) for user enrollment to FaceStation F2.

Declaration

```
#include "BS_API.h"

int BS2_EnrolUser(void* context, uint32_t deviceId, BS2UserBlob* userBlob,
uint32_t userCount, uint8_t overwrite);
```

[See BS2UserBlob Structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *userBlob* : User information trying to enroll
- [In] *userCount* : Number of users
- [In] *overwrite* : Whether to overwrite duplicated user

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetUserList](#)

[BS2_RemoveUser](#)

BS2_RemoveAllUser

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_enroluser&rev=1603332083

Last update: **2020/10/22 11:01**