

Table of Contents

BS2_GetDataEncryptKey

Declaration

Parameter

Return Value

See Also

..... 1
..... 1
..... 1
..... 1
..... 1

 **This page is not fully translated, yet. Please help completing the translation.**
(remove this paragraph once the translation is finished)

[SDK API](#) > [BS2_GetDataEncryptKey](#)

BS2_GetDataEncryptKey

[+ V2.6.0] Gets data encryption key.

Declaration

```
#include "BS_API.h"

int BS2_GetDataEncryptKey(void* context, uint32_t deviceId, BS2EncryptKey* keyInfo);
```

[See BS2EncryptKey Structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [Out] *keyInfo* : Structure address of encryption key information which will be returned

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_SetDataEncryptKey](#)
[BS2_RemoveDataEncryptKey](#)

From:
<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2_getdataencryptkey&rev=1523865245

Last update: **2018/04/16 16:54**