

# Table of Contents

<b>BS2_GetUserDatasEx</b> .....	1
Declaration .....	1
파라미터 .....	1
Return Value .....	2
See Also .....	2

**Fix Me!** This page is not fully translated, yet. Please help completing the translation. (remove this paragraph once the translation is finished)

User Management API > [BS2\\_GetUserDatasEx](#)

## BS2\_GetUserDatasEx

[+ 2.5.0] Gets selected data of user.  
You can get selected data of the user ID using userMask.

### Declaration

```
#include "BS_API.h"

int BS2_GetUserDatasEx(void* context, uint32_t deviceId, char* uids,
uint32_t uidCount, BS2UserBlobEx* userBlob, BS2_USER_MASK userMask);
```

[See BS2UserBlobEx Structure](#)

### 파라미터

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *uids* : User ID list trying to get
- [In] *uidCount* : Number of user ID
- [Out] *userBlob* : Pointer to store the user information
- [In] *userMask* : User Mask

Value	Description
0x0000	User ID
0x0001	User data
0x0002	User setting
0x0004	User name
0x0008	Image
0x0010	PIN
0x0020	Card
0x0040	Fingerprint
0x0080	Face
0x0100	Access group
0x0200	Jobcode
0x0400	Phrase
0xFFFF	All information

## Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned. If there is an error, the corresponding error code will be returned.

## See Also

[BS2\\_GetUserList](#)  
[BS2\\_RemoveUser](#)  
[BS2\\_RemoveAllUser](#)  
[BS2\\_GetUserInfos](#)  
[BS2\\_GetUserInfosEx](#)  
[BS2\\_EnrolUser](#)  
[BS2\\_EnrolUserEx](#)  
[BS2\\_GetUserDatas](#)  
[BS2\\_GetUserDatasEx](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2\\_getuserdatasex&rev=1551673430](http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_getuserdatasex&rev=1551673430)

Last update: **2019/03/04 13:23**