

# Table of Contents

<b>BS2_ScanFingerprint</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[Fingerprint API](#) > [BS2\\_ScanFingerprint](#)

---

## BS2\_ScanFingerprint

Scans a fingerprint from a device and extracts template data.

### NOTE

BS2\_ScanFingerprint API has been changed in SDK 2.5.0. For detailed information, refer to [Version 2.5.0 Release note](#)

### Declaration

```
#include "BS_API.h"

int BS2_ScanFingerprint(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
OnReadyToScan ptrReadyToScan);
```

[See BS2Fingerprint Structure](#)

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [Out] *finger* : Pointer to store the template data
- [In] *templateIndex* : Template data index
- [In] *quality* : Required quality of fingerprint template
- [In] *templateFormat* : Format of the template
- [Out] *ptrReadyToScan* : Callback function that is called when it's ready to scan a fingerprint

### Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

### See Also

## BS2\_VerifyFingerprint

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2\\_scanfingerprint&rev=1516664341](http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_scanfingerprint&rev=1516664341)

Last update: **2018/01/23 08:39**