

# Table of Contents

<b>Server API</b> .....	1
<i>Callback Function</i> .....	1

# Server API

API that can enable server matching or controls the device from the BioStar application.

- [BS2\\_SetServerMatchingHandler](#): Configures the server matching handler.
- [BS2\\_VerifyUser](#): Transfers user information mapped to the card or user ID authentication results to the device.
- [BS2\\_IdentifyUser](#): Transfers user information mapped to the fingerprint authentication results to the device.
- [BS2\\_VerifyUserEx](#): Transfers user information mapped to the card or user ID authentication results to the device. (Applies only for v2.4 FW group)
- [BS2\\_IdentifyUserEx](#): Transfers user information mapped to the fingerprint authentication results to the device. (Applies only for v2.4 FW group)

## Callback Function

```
typedef void (*OnVerifyUser)(uint32_t deviceId, uint16_t seq, uint8_t isCard, uint8_t cardType, const uint8_t* data, uint32_t dataLen);
typedef void (*OnIdentifyUser)(uint32_t deviceId, uint16_t seq, uint8_t format, const uint8_t* templateData, uint32_t templateSize);
```

### 1. *OnVerifyUser*

Callback function that is called when the BioStar application needs to distinguish whether the card or user ID matches.

### 2. *OnIdentifyUser*

Callback function that is called when the BioStar application needs to distinguish whether the fingerprint matches.

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk/doku.php?id=en:server\\_api&rev=1490063510](http://kb.supremainc.com/bs2sdk/doku.php?id=en:server_api&rev=1490063510)

Last update: **2017/03/21 11:31**