

**BS2\_EnrolUser** ..... 1  
..... 1  
..... 1  
..... 1  
..... 1

# BS2\_EnrolUser

[Deprecated]

[BS2\\_EnrollUser](#)

```
#include "BS_API.h"
```

```
int BS2_EnrolUser(void* context, uint32_t deviceId, BS2UserBlob* userBlob,
uint32_t userCount, uint8_t overwrite);
```

[BS2UserBlob](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS\_SDK\_SUCCESS , 가

- [BS2\\_GetUserList](#)
- [BS2\\_RemoveUser](#)
- [BS2\\_RemoveAllUser](#)
- [BS2\\_GetUserInfos](#)
- [BS2\\_GetUserInfosEx](#)
- [BS2\\_EnrolUser](#)
- [BS2\\_EnrolUserEx](#)
- [BS2\\_GetUserDatas](#)

[BS2\\_GetUserDatasEx](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2\\_enroluser&rev=1557796375](http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_enroluser&rev=1557796375)

Last update: **2019/05/14 10:12**