

**BS2\_EnrolUser** ..... 1  
..... 1  
..... 1  
..... 1  
..... 2

# BS2\_EnrolUser



```
#include "BS_API.h"

int BS2_EnrolUser(void* context, uint32_t deviceId, BS2UserBlob* userBlob,
uint32_t userCount, uint8_t overwrite);
```

BS2UserBlob

- [In] *context* : Context
- [In] *deviceId* :
- [In] *userBlob* :
- [In] *userCount* :
- [In] *overwrite* :

BS\_SDK\_SUCCESS , 가

C++

```
sdkResult = BS2_EnrolUser(context_, id, &userBlob, 1, 1);
if (BS_SDK_SUCCESS != sdkResult)
TRACE("BS2_EnrolUser call failed: %d", sdkResult);
```

```
if (userBlob.cardObjs)
delete[] userBlob.cardObjs;

if (userBlob.fingerObjs)
delete[] userBlob.fingerObjs;

if (userBlob.faceObjs)
delete[] userBlob.faceObjs;
```

C#

```
BS2ErrorCode result = (BS2ErrorCode)API.BS2_EnrolUser(sdkContext, deviceID,
userBlob, 1, 1);

if (result != BS2ErrorCode.BS_SDK_SUCCESS)
{
    Console.WriteLine("Got error({0}).", result);
}

if (userBlob[0].cardObjs != IntPtr.Zero)
{
    Marshal.FreeHGlobal(userBlob[0].cardObjs);
}

if (userBlob[0].fingerObjs != IntPtr.Zero)
{
    Marshal.FreeHGlobal(userBlob[0].fingerObjs);
}

if (userBlob[0].faceObjs != IntPtr.Zero)
{
    Marshal.FreeHGlobal(userBlob[0].faceObjs);
}
```

[BS2\\_GetUserList](#)  
[BS2\\_RemoveUser](#)  
[BS2\\_RemoveAllUser](#)  
[BS2\\_GetUserInfos](#)  
[BS2\\_GetUserInfosEx](#)  
[BS2\\_EnrolUser](#)  
[BS2\\_EnrolUserEx](#)  
[BS2\\_GetUserDatas](#)  
[BS2\\_GetUserDatasEx](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

[https://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2\\_enroluser&rev=1640584912](https://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2_enroluser&rev=1640584912)

Last update: **2021/12/27 15:01**