

**BS2\_GetLogSmallBlobFromDirWithKey** ..... 1  
..... 1  
..... 1  
..... 1  
..... 2

# BS2\_GetLogSmallBlobFromDirWithKey

[+2.8.2] USB Data EventMask 가 .  
 BS2EventBlob BS2\_GetLogBlobFromDirWithKey  
 6 BS2EventSmallBlob imageObj가

```
#include "BS_API.h"
```

```
int BS2_GetLogSmallBlobFromDirWithKey(void* context, const char* szDir,
uint16_t eventMask, BS2_EVENT_ID eventId, uint32_t amount,
BS2EventSmallBlob** logsObj, uint32_t* numLog, const BS2EncryptKey* key);
```

## BS2EventSmallBlob

- [In] *context* : Context
- [In] *szDir* : Data
- [In] *eventMask* : event mask
- [In] *eventId* : ID , 0 가 .
- [In] *amount* : , 0 eventId 가 .
- [Out] *logsObj* :
- [Out] *numLog* :
- [In] *key* : BS2\_SetDataEncryptKey .

logsObj BS2\_ReleaseObject

BS\_SDK\_SUCCESS , 가

[BS2\\_GetUserDatabaseInfoFromDirWithKey](#)  
[BS2\\_GetUserListFromDirWithKey](#)  
[BS2\\_GetUserInfosFromDirWithKey](#)  
[BS2\\_GetUserDatasFromDirWithKey](#)  
[BS2\\_GetUserInfosExFromDirWithKey](#)  
[BS2\\_GetUserDatasExFromDirWithKey](#)  
[BS2\\_GetLogFromDirWithKey](#)  
[BS2\\_GetFilteredLogFromDirWithKey](#)  
[BS2\\_GetLogBlobFromDirWithKey](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

[http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2\\_getlogsmallblobfromdirwithkey](http://kb.supremainc.com/bs2sdk/doku.php?id=ko:bs2_getlogsmallblobfromdirwithkey)

Last update: **2022/04/12 15:36**