

Face API 1

FaceEx API 1

..... 1

 BS2Face 1

 BS2AuthGroup 2

 BS2TemplateEx 2

 BS2FaceEx 3

Face API

API

- [BS2_ScanFace](#): FaceStation2
- [BS2_GetAuthGroup](#): 가
- [BS2_GetAllAuthGroup](#): 가 *
- [BS2_SetAuthGroup](#): .
- [BS2_RemoveAuthGroup](#): .
- [BS2_RemoveAllAuthGroup](#): .

FaceEx API

- [BS2_ScanFaceEx](#): FaceStation F2 [+ 2.7.1]
- [BS2_ExtractTemplateFaceEx](#): FaceStation F2 가 template . [+ 2.7.1]

BS2Face

```
typedef struct {
    uint8_t faceIndex;
    uint8_t numOfTemplate;
    uint8_t flag;
    uint8_t reserved;

    uint16_t imageLen;
    uint8_t reserved2[2];

    uint8_t imageData[BS2_FACE_IMAGE_SIZE];
    uint8_t templateData[BS2_TEMPLATE_PER_FACE][BS2_FACE_TEMPLATE_LENGTH];
} BS2Face;
```

1. *faceIndex*
2. *numOfTemplate*
3. *flag*
4. *reserved*

5. *imageLen*

6. *reserved2*

4. *imageData*

5. *data*

BS2AuthGroup

```
typedef struct {  
    BS2_AUTH_GROUP_ID    id;  
    char                 name[BS2_MAX_AUTH_GROUP_NAME_LEN];  
    uint8_t              reserved[32];  
} BS2AuthGroup;
```

1. *id*

2. *name*
BioStar

3. *reserved*

BS2TemplateEx

```
typedef struct {  
    uint8_t              data[552];  
    uint8_t              isIR;  
    uint8_t              reserved[3];  
} BS2TemplateEx;
```

FaceStation F2

1. *data*
IR visual

2. *isIR*
IR true, visual false

3. *reserved*

BS2FaceEx

```

typedef struct {
    uint8_t      faceIndex;
    uint8_t      numOfTemplate;
    uint8_t      flag;
    uint8_t      reserved;

    uint32_t     imageLen;
    union {
        struct {
            uint16_t irImageLen;
            uint8_t  unused[6];          ///< 6 bytes (packing)
            uint8_t  imageData[BS2_MAX_WARPED_IMAGE_LENGTH];    ///<
40 * 1024 bytes
            uint8_t  irImageData[BS2_MAX_WARPED_IR_IMAGE_LENGTH];    ///<
30 * 1024 bytes
            BS2TemplateEx templateEx[BS2_MAX_TEMPLATES_PER_FACE_EX];    ///<
20 * 556 bytes
        };

        uint8_t     *rawImageData;
    };
} BS2FaceEx;

```

FaceStation F2

1. *faceIndex*

2. *numOfTemplate*

Visual, IR

3. *flag*

가 WARP

WARP , , ,

flag가 1 , union struct 5

flag가 0 , union rawImageData

가 WARP

가

flag BS2_FACE_EX_FLAG_NONE(0) , rawImageData

imageLen

rawImageData 가

WARP

struct

rawImageData struct가 union

BS2_FACE_EX_FLAG_NONE	0x00
BS2_FACE_EX_FLAG_WARPED	0x01
BS2_FACE_EX_FLAG_ALL	0xFF

4. reserved

5. imageLen

6. irImageLen

IR

7. unused

. (packing)

8. imageData

WARP

. rawData

9. irImageData

IR

. WARP

IR

10. templateEx

Visual

IR

11. rawData

WARP

. (JPG

,

250 * 250)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=ko:face_api&rev=1612769292

Last update: **2021/02/08 16:28**