

2.5.0 ..... 1

# 2.5.0

2017-09-25

BioStar 2 Device SDK 가 , SDK

- SEOS (Elite Key, RF )
- CoreStation , P2
- Intrusion Alarm Zone
- Ethernet Zone
- USB Export 가

## 1. SEOS (Elite Key, RF ) iClass SEOS

- [BS2\\_GetCardConfigEx](#) 가
- [BS2\\_SetCardConfigEx](#) 가
- [BS2CardConfigEx](#) 가

## 2. CoreStation Controller CoreStation Slave . CoreStation Master

Controller UI CoreStation BioStar

- [BS2\\_GetSlaveExDevice](#) 가
- [BS2\\_SetSlaveExDevice](#) 가
- [BS2Rs485SlaveDeviceEX](#) 가

## 3. Intrusion Alarm Zone

가

(biostar1.X) , 3rd party alarm / , Video Visual map

- \* [\[\[BS2\\_GetIntrusionAlarmZone\]\]](#) 가
- \* [\[\[BS2\\_GetIntrusionAlarmZoneStatus\]\]](#) 가

- \* [[BS2\_SetIntrusionAlarmZone]] 가
- \* [[BS2\_SetIntrusionAlarmZoneAlarm]] 가
- \* [[BS2\_RemoveIntrusionAlarmZone]] 가
- \* [[BS2\_SetIntrusionAlarmZoneArm]] 가
- \* [[Configuration API#BS2IntrusionAlarmZoneBlob]] 가

4. Ethernet Zone Zone Master BioStar V2.x 가 가  
 (Master ↔ Member) Ethernet TCP Zone . 1.x  
 Entrance Limit, Fire Alarm Zone .

- BS2\_GetDeviceZone 가
- BS2\_SetDeviceZone 가
- BS2\_RemoveDeviceZone 가
- BS2\_SetDeviceZoneAlarm 가
- BS2DeviceZoneConfig 가

5. USB Export USB  
 Export / Import T&A . ( ) BioStar  
 가 USB , USB  
 T&A . USB , USB

- BS2\_GetUserListFromDir 가
- BS2\_GetUserInfosFromDir 가
- BS2\_GetLogFromDir 가

5. 가 SDK 가

- \* BS2\_GetFilteredLogSinceEventId 가

1. BS2\_ScanFingerprint BS2\_ScanFingerprintEx 가가  
 outQuality 가가 .

```
#include "BS_API.h"

int BS2_ScanFingerprintEx(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
uint32_t* outQuality, OnReadyToScan ptrReadyToScan);
```

2. C# BS2Schedule . C# (Union  
 ) 가 . BS2Schedule CSP\_BS2Schedule ,  
 BS2Schedule BS2\_GetAllAccessSchedule, BS2\_GetAccessSchedule,  
 BS2\_SetAccessSchedule WRAPPER CSP\_BS2\_GetAllAccessSchedule,

CSP\_BS2\_GetAccessSchedule, CSP\_BS2\_SetAccessSchedule . CSP\_BS2Schedule  
scheduleUnion.daily, scheduleUnion.weekly isDaily .

3. SSL connect wait time .

4. Payload size가 Internal Error .

5. Packet Loss Packet UDP 가

7. BS2\_GetFilteredLogSinceEventId 가 . C#

8. C# Util GetAll, Get Remove, Set Wrapper Template 가가

9. C# BS2CardModelEnum{ODPW, OAPW} 가가 .

10. Linux CPU 100% .

From:  
<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:  
[http://kb.supremainc.com/bs2sdk/doku.php?id=ko:release\\_note\\_250&rev=1508225943](http://kb.supremainc.com/bs2sdk/doku.php?id=ko:release_note_250&rev=1508225943)

Last update: **2017/10/17 16:39**