

2.5.0		1
-------	-------	---

2.5.0

2017-09-25

BioStar 2 Device SDK 가 , SDK SDK .

- SEOS (Elite Key, RF)
- CoreStation , P2
- Intrusion Alarm Zone
- Ethernet Zone
- USB Export 가
- 가

1. SEOS (Elite Key, RF) iClass SEOS .

- [BS2_GetCardConfigEx](#) 가
- [BS2_SetCardConfigEx](#) 가
- [BS2CardConfigEx](#) 가

2. CoreStation CoreStation . CoreStation Master Controller Controller Slave . UI CoreStation BioStar .

- [BS2_GetSlaveExDevice](#) 가
- [BS2_SetSlaveExDevice](#) 가
- [BS2Rs485SlaveDeviceEX](#) 가

3. Intrusion Alarm Zone . 가 , , . (biostar1.X) , 3rd party alarm / , Video Visual map .

* `[[BS2_GetIntrusionAlarmZone]]` 가

```
* [[BS2_GetIntrusionAlarmZoneStatus]] 가
* [[BS2_SetIntrusionAlarmZone]] 가
* [[BS2_SetIntrusionAlarmZoneAlarm]] 가
* [[BS2_RemoveIntrusionAlarmZone]] 가
* [[BS2_SetIntrusionAlarmZoneArm]] 가
* [[Configuration API#BS2IntrusionAlarmZoneBlob]] 가
```

4.Ethernet Zone Zone Master BioStar V2.x 가 가

(Master ↔ Member) Ethernet TCP Zone . 1.x

Entrance Limit, Fire Alarm Zone .

- [BS2_GetDeviceZone](#) 가
- [BS2_SetDeviceZone](#) 가
- [BS2_RemoveDeviceZone](#) 가
- [BS2_SetDeviceZoneAlarm](#) 가
- [BS2DeviceZoneConfig](#) 가

5.USB Export . USB () BioStar

가 Export / Import T&A . USB , , USB

 T&A . USB , , USB

- [BS2_GetUserListFromDir](#) 가
- [BS2_GetUserInfosFromDir](#) 가
- [BS2_GetLogFromDir](#) 가

5. 가 SDK 가

 .

* [BS2_GetFilteredLogSinceEventId](#) 가

1. BS2_ScanFingerprint BS2_ScanFingerprintEx 가가 .

outQuality 가가 .

 .

```
#include "BS_API.h"

int BS2_ScanFingerprintEx(void* context, uint32_t deviceId, BS2Fingerprint*
finger, uint32_t templateIndex, uint32_t quality, uint8_t templateFormat,
uint32_t* outQuality, OnReadyToScan ptrReadyToScan);
```

2. C# BS2Schedule . C# (Union

) 가 . BS2Schedule CSP_BS2Schedule ,

BS2Schedule BS2_GetAllAccessSchedule, BS2_GetAccessSchedule,
 BS2_SetAccessSchedule WRAPPER CSP_BS2_GetAllAccessSchedule,
 CSP_BS2_GetAccessSchedule, CSP_BS2_SetAccessSchedule . CSP_BS2Schedule
 scheduleUnion.daily, scheduleUnion.weekly isDaily .

3. SSL connect wait time .

4. Payload size가 Internal Error .

5. Packet Loss Packet UDP 가

7. BS2_GetFilteredLogSinceEventId 가 . C#

8. C# Util GetAll, Get Remove, Set Wrapper Template 가가

9. C# BS2CardModelEnum{ODPW, OAPW} 가가 .

10. Linux CPU 100% .

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk./doku.php?id=ko:release_note_250&rev=1508226046

Last update: **2017/10/17 16:40**