

BS2_GetAuthGroup

.....

.....

.....

.....

.....

.....

1

1

1

1

1

[Face API](#) > [BS2_GetAuthGroup](#)

BS2_GetAuthGroup

가 .

```
#include "BS_API.h"

int BS2_GetAuthGroup(void* context, uint32_t deviceId, uint32_t*
authGroupIds, uint32_t authGroupIdCount, BS2AuthGroup** authGroupObj,
uint32_t* numAuthGroup);
```

[BS2AuthGroup](#)

- [In] *context* : Context
- [In] *deviceId* :
- [In] *authGroupIds* : 가 auth group id
- [In] *authGroupIdCount* : auth group id
- [Out] *authGroupObj* : auth group
- [Out] *numAuthGroup* : auth group

[authGroupObj](#) [BS2_ReleaseObject](#)

BS_SDK_SUCCESS , 가

[BS2_GetAllAuthGroup](#)

[BS2_SetAuthGroup](#)

[BS2_RemoveAuthGroup](#)
[BS2_RemoveAllAuthGroup](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk./doku.php?id=ko:bs2_getauthgroup&rev=1498617185

Last update: **2017/06/28 11:33**