Table of Contents

User Management API > BS2_EnrollUser

BS2_EnrollUser

[+ 2.6.3] Enrolls new user
It has the same functionality as BS2_EnrolUser. (Only spelling is changed)

Declaration

```
#include "BS_API.h"

int BS2_EnrollUser(void* context, uint32_t deviceId, BS2UserBlob* userBlob,
uint32_t userCount, uint8_t overwrite);
```

> See BS2UserBlob Structure

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *userBlob* : User information trying to enroll
- [In] *userCount* : Number of users
- [In] *overwrite* : Whether to overwrite duplicated user

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

BS2_GetUserList
BS2_RemoveUser
BS2_RemoveAllUser
BS2_GetUserInfos
BS2_GetUserInfosEx
BS2_EnrollUser
BS2_EnrollUserEx
BS2_GetUserDatas

BS2_GetUserDatasEx

From:
https://kb.supremainc.com/bs2sdk/ - **BioStar Device SDK**

Permanent link:
https://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_enrolluser&rev=1558060569

Last update: **2019/05/17 11:36**