

Table of Contents

BS2_EnrollUser	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[User Management API](#) > [BS2_EnrollUser](#)

BS2_EnrollUser

[+ 2.6.3] Enrolls new user

It has the same functionality as [BS2_EnrollUser](#). (Only spelling is changed)

Information

Please use [BS2_EnrollUserFaceEx](#) for user enrollment to FaceStation F2.

Declaration

```
#include "BS_API.h"

int BS2_EnrollUser(void* context, uint32_t deviceId, BS2UserBlob* userBlob,
uint32_t userCount, uint8_t overwrite);
```

[See BS2UserBlob Structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *userBlob* : User information trying to enroll
- [In] *userCount* : Number of users
- [In] *overwrite* : Whether to overwrite duplicated user

Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.

If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetUserList](#)

[BS2_RemoveUser](#)

BS2_RemoveAllUser
BS2_GetUserInfos
BS2_GetUserInfosEx
BS2_EnrollUser
BS2_EnrollUserEx
BS2_GetUserDatas
BS2_GetUserDatasEx

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2_enrolluser&rev=1603332268

Last update: **2020/10/22 11:04**