

Table of Contents

BS2_EnrollUserSmallEx	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

BS2_EnrollUserSmallEx

[+ 2.6.3] Enrolls new user with efficient use of memory.

The only difference between with [BS2_EnrollUserEx](#) which is using structure [BS2UserBlobEx](#) is that the 3rd parameter `BS2UserPhoto` of `BS2UserSmallBlobEx` is using pointer for efficient memory use.

Declaration

```
#include "BS_API.h"

int BS2_EnrollUserSmallEx(void* context, uint32_t deviceId,
BS2UserSmallBlobEx* userBlob, uint32_t userCount, uint8_t overwrite);
```

[See BS2UserSmallBlobEx Structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *userBlob* : User information trying to enroll
- [In] *userCount* : Number of users
- [In] *overwrite* : Whether to overwrite duplicated user

Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.

If there is an error, the corresponding error code will be returned.

See Also

[BS2_EnrollUserSmall](#)
[BS2_EnrollUserSmallEx](#)
[BS2_GetUserSmallInfos](#)
[BS2_GetUserSmallInfosEx](#)
[BS2_GetUserSmallDatas](#)
[BS2_GetUserSmallDatasEx](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_enrollusersmallex&rev=1560842606

Last update: **2019/06/18 16:23**