

Table of Contents

BS2_EnrolUser	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[User Management API](#) > [BS2_EnrolUser](#)

BS2_EnrolUser

Enrolls new user.

Tip

Please use [BS2_EnrollUserFaceEx](#) for user enrollment to **FaceStation F2**.

Declaration

```
#include "BS_API.h"

int BS2_EnrolUser(void* context, uint32_t deviceId, BS2UserBlob* userBlob,
uint32_t userCount, uint8_t overwrite);
```

[See BS2UserBlob Structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *userBlob* : User information trying to enroll
- [In] *userCount* : Number of users
- [In] *overwrite* : Whether to overwrite duplicated user

Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetUserList](#)
[BS2_RemoveUser](#)

BS2_RemoveAllUser

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk./doku.php?id=en:bs2_enroluser

Last update: **2020/10/22 15:18**