

Table of Contents

BS2_GetAuthGroup	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[Face API](#) > [BS2_GetAuthGroup](#)

BS2_GetAuthGroup

Retrieves selected authentication groups.

Declaration

```
#include "BS_API.h"

int BS2_GetAuthGroup(void* context, uint32_t deviceId, uint32_t*
authGroupIds, uint32_t authGroupIdCount, BS2AuthGroup** authGroupObj,
uint32_t* numAuthGroup);
```

[See BS2AuthGroup Structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *authGroupIds* : List of authentication groups to retrieve
- [In] *authGroupIdCount* : Number of authentication groups to retrieve
- [Out] *authGroupObj* : Authentication group list pointer
- [Out] *numAuthGroup* : Number of authentication groups

NOTE

The *authGroupObj* variable needs to return the memory to the system by the [BS2_ReleaseObject](#) function after being used.

Return Value

If successfully done, `BS_SDK_SUCCESS` will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetAllAuthGroup](#)

[BS2_SetAuthGroup](#)
[BS2_RemoveAuthGroup](#)
[BS2_RemoveAllAuthGroup](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_getauthgroup

Last update: **2017/06/28 10:59**