

Table of Contents

- BS2_GetCustomCardConfig** 1
 - Declaration 1
 - Parameter 1
 - Return Value 1
 - See Also 1
 - Sample Code(C++) 1
 - Sample Code(C#) 2

[Configuration API](#) > [BS2_GetCustomCardConfig](#)

BS2_GetCustomCardConfig

[+ 2.9.4] Retrieves Custom smart card settings.

Declaration

```
#include "BS_API.h"

int BS2_GetCustomCardConfig(void* context, uint32_t deviceId,
BS2CustomCardConfig* config);
```

[See to structure BS2CustomCardConfig](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device Identifier
- [In] *config* : Pointer to get Custom smart card information

Return Value

If successfully done, BS_SDK_SUCCESS will be returned. If there is an error, the corresponding error code will be returned.

See Also

[BS2_SetCustomCardConfig](#)

Sample Code(C++)

[sample_getcustomcardconfig.cpp](#)

```
int sdkResult = BS2_GetCustomCardConfig(context_, id, &config);
if (BS_SDK_SUCCESS != sdkResult)
    printf("BS2_GetCustomCardConfig call failed: %d", sdkResult);
return sdkResult;
```

Sample Code(C#)

[sample_getcustomcardconfig.cs](#)

```
    BS2ErrorCode result =
    (BS2ErrorCode)API.BS2_GetCustomCardConfig(sdkContext, deviceID, out
    config);
    if (result != BS2ErrorCode.BS_SDK_SUCCESS)
        Console.WriteLine("Got error({0}).", result);
    else
        Console.WriteLine("Call success.");
    return result;
```

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

https://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_getcustomcardconfig&rev=1692167530

Last update: **2023/08/16 15:32**