

Table of Contents

BS2_GetLog	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

BS2_GetLog

Gets the maximum amount of logs starting from the given log record ID.

Declaration

```
#include "BS_API.h"

int BS2_GetLog(void* context, uint32_t deviceId, uint32_t eventId, uint32_t amount, BS2Event** logsObj, uint32_t* numLog);
```

[See BS2Event Structure](#)

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *eventId* : Log record ID. When the value is 0, gets the logs from the beginning.
- [In] *amount* : Maximum number of logs. When the value is 0, gets the logs starting from the event ID.
- [Out] *logsObj* : Pointer to store the log record's address.
- [Out] *numLog* : Number of log record.

NOTE

The logsObj variable needs to return the memory to the system by the BS2_ReleaseObject function after being used.

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetFilteredLog](#)

[BS2_ClearLog](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_getlog

Last update: **2016/07/12 08:50**