

Table of Contents

BS2_RemoveAllDoor	1
Declaration	1
Parameter	1
Return Value	1
See Also	1

[Door Control API](#) > [BS2_RemoveAllDoor](#)

BS2_RemoveAllDoor

Removes all doors.

Declaration

```
#include "BS_API.h"

int BS2_RemoveAllDoor(void* context, uint32_t deviceId);
```

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID

Return Value

If successfully done, BS_SDK_SUCCESS will be returned.
If there is an error, the corresponding error code will be returned.

See Also

[BS2_GetDoor](#)
[BS2_GetAllDoor](#)
[BS2_GetDoorStatus](#)
[BS2_GetAllDoorStatus](#)
[BS2_SetDoor](#)
[BS2_GetAllDoorStatus](#)
[BS2_SetDoorAlarm](#)
[BS2_RemoveDoor](#)
[BS2_ReleaseDoor](#)
[BS2_LockDoor](#)
[BS2_UnlockDoor](#)

From:
<http://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:
http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_removealldoor

Last update: **2016/02/17 14:54**

