

# Table of Contents

<b>BS2_RemoveDataEncryptKey</b> .....	1
Declaration .....	1
Parameter .....	1
Return Value .....	1
See Also .....	1

[SDK API](#) > [BS2\\_RemoveDataEncryptKey](#)

## BS2\_RemoveDataEncryptKey

[+ V2.6.0] Removes the encryption key for the device.

If function is called successfully, the device will revert to the default key value, and all data on the device will be erased.

### Declaration

```
#include "BS_API.h"

int BS2_RemoveDataEncryptKey(void* context, uint32_t deviceId);
```

### Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID

### Return Value

If successfully done, BS\_SDK\_SUCCESS will be returned.

If there is an error, the corresponding error code will be returned.

### See Also

[BS2\\_GetDataEncryptKey](#)

[BS2\\_SetDataEncryptKey](#)

From:

<https://kb.supremainc.com/bs2sdk/> - **BioStar Device SDK**

Permanent link:

[https://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2\\_removedataencryptkey](https://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_removedataencryptkey)

Last update: **2018/04/16 17:05**