


Table of Contents

BS2_ResponseUserPhrase	1
Declaration	1
Parameter	1
반환값	1
함께 보기	1

 **This page is not fully translated, yet. Please help completing the translation.**
(remove this paragraph once the translation is finished)

[Server API](#) > [BS2_ResponseUserPhrase](#)

BS2_ResponseUserPhrase

[+ 2.7.0] Transfers the user phrase to the device.

Declaration

```
#include "BS_API.h"

int BS2_ResponseUserPhrase(void* context, uint32_t deviceId, uint16_t seq,
int handleResult, const BS2_USER_PHRASE userPhrase);
```

Parameter

- [In] *context* : Context
- [In] *deviceId* : Device ID
- [In] *seq* : Packet sequence number
- [In] *handleResult* : Matching result (BS_SDK_SUCCESS or BS_SDK_ERROR_XXX)
- [In] *userPhrase* : Matched user phrase

NOTE

Packet sequence number must be equivalent to the value sent from the OnIdentifyUser.

패킷 일련번호는 반드시 OnVerifyUser에서 전달받은 값과 동일해야 합니다.

반환값

성공적으로 수행될 경우 BS_SDK_SUCCESS를 반환하고, 에러가 발생할 경우 상응하는 에러 코드를 반환합니다.

함께 보기

[BS2_SetUserPhraseHandler](#)

From:

<http://kb.supremainc.com/bs2sdk/> - **BioStar 2 Device SDK**

Permanent link:

http://kb.supremainc.com/bs2sdk/doku.php?id=en:bs2_responseuserphrase&rev=1596003508

Last update: **2020/07/29 15:18**